

Sheet 1 of 4

/A.M./	Agnello, V; (2000). Mixed cryoglobulinemia and other extrahepatic manifestations of hepatitis C virus infections. In: Liang, TJ, Hoonagale JH, eds. <i>Hepatitis C</i> . San Diego: Academic Press: 295-314.
	Baldwin, AS (1996). The NF-kappa B and I kappa B proteins: new discoveries and insights. <i>Annu. Rev. Immunol.</i> 14:649-683.
	Barton, DJ, Flanagan JB; (1993). Coupled translation and replication of poliovirus RNA <i>in vitro</i> : synthesis of functional 3D polymerase and infectious virus. <i>J. Virol.</i> 67: 822-831.
	Behrens, SE, Grassmann, CW, Thiel, HJ, Meyers, G, Tautz, N; (1998). Characterization of an autonomous subgenomic RNA-replicon of a pestivirus. <i>J. Virol.</i> 72: 2364-2372.
	Bukh, J, Miller RH, Purcell, RH; (1995). Genetic heterogeneity of hepatitis C virus: quasispecies and genotypes. <i>Sem. Liver Dis.</i> 15: 41-63.
	Burke, DS, Monath, TP; (2001). Flaviviruses. In: <i>Virology</i> , fourth edition edited by B.N. Fields, Lippincott-Raven Philadelphia, New York: 1043-1125.
	Ciechanover, A (1998). The ubiquitin-proteasome pathway: on protein death and cell live. <i>EMBO J.</i> 17:7151-7160.
	Ciechanover, A, Orian, A, Schwartz, AL; (2000). The ubiquitin-mediated proteolytic pathway: mode of action and clinical implications. <i>J. Cell Biochem. Suppl.</i> 34: 40-51.
	Coux, O; Tanaka, K; Goldberg, AL (1996). Structure and functions of the 20S and 26S proteasomes. <i>Annu. Rev. Biochem.</i> 65: 801-847.
	Dubuisson, J, Hsu, HH, Cheung, RC, Greenberg, HB, Russell, DG, Rice, CM; (1994). Formation and intracellular localization of hepatitis C virus envelope glycoprotein complexes expressed by recombinant vaccinia and Sindbis virus. <i>J. Virol.</i> 68: 6147-6160.
	Elliott, PJ, Ross JS; (2001). The proteasome: a new target for novel drug therapies. <i>Am J Clin Pathol.</i> 116:637-46.
	Elliott, PJ; Pien, CS; McCormack, TA; Capman, ID; Adams, J (1999). Proteasome inhibition: a novel mechanism to combat asthma. <i>J. Allergy Clin. Immunol.</i> 104: 294-300.
	Fenteany, G; Standaert, RF; Lane, WS; Choi, S; Corey, EJ; Schreiber, SL (1995). Inhibition of proteasome activities and subunit-specific amino-terminal threonine modification by lactacystin. <i>Science</i> 268: 726-731.
	Frankel, A; Man, S; Elliott, P; Adams, J; Kerbel, RS (2000). Lack of multicellular drug resistance observed in human ovarian and prostate carcinoma treated with the proteasome inhibitor PS-341. <i>Clinical Cancer Res.</i> 6:3719-3728.
	Fuerst, TR, Niles, EG, Studier, FW, Moss B; (1986). Eukaryotic transient-expression system based on recombinant vaccinia virus that synthesizes bacteriophage T7 RNA polymerase. <i>Proc. Natl. Acad. Sci. USA</i> 83: 8122-8126.
	Grassmann, CW, Isken, O, Behrens SE; (1999). Assignment of the multifunctional NS3 protein of bovine viral diarrhoea virus during RNA replication: an <i>in vivo</i> and <i>in vitro</i> study. <i>J. Virol.</i> 73: 9196-9205.
	Grassmann, CW, Isken, O, Tautz, N, Behrens SE; (2001). Genetic analysis of the pestivirus nonstructural coding region: defects in the NSSA unit can be complemented <i>in trans</i> . <i>J. Virol.</i> 75: 7791-7802.
	Hanada, M; Sugawara, K; Kaneta, K; Toda, S; Nishiyama, Y; Tomita, K; Yamamoto, H; Konishi, M; Oki, T (1992). Epoxomicin, a new antitumor agent of microbial origin. <i>J. Antibiot. (Tokyo)</i> 45:1746-1752.
	Harty, RN; Brown, ME; Wang, G; Huijbreghse, J; Hayes, FP; (2000). A PPxY motif within the VP40 protein of Ebola virus interacts physically and functionally with a ubiquitin ligase: implications for filovirus budding. <i>Proc. Natl. Acad. Sci. USA</i> 97: 13871-13876.
	Hershko, A; Ciechanover, A; (1998). The ubiquitin system. <i>Annu. Rev. Biochem.</i> 67: 425-479.
	Higashitsuji, H; Itoh, K; Nagao, T; Dawson, S; Nonoguchi, K; Kido, T; Mayer, RJ; Arai, S; Fujita, J; (2000). Reduced stability of retinoblastoma protein by gankyrin, an oncogenic ankyrin-repeat protein overexpressed in hepatomas. <i>Nat Med.</i> 6:96-99.
	Koeck J, Nassal M, MacNelly S, Baumert TF, Blum HE, von Weizsaecker F; (2001). Efficient infection of primary <i>Tupaia</i> hepatocytes with purified human and woolly monkey hepatitis B virus. <i>J. Virol.</i> 75:5084-5089.
/A.M./	Krueger, M; Beger, C; Welch, PJ; Barber, JR; Manns, MP; Wong-Staal, F; (2001). Involvement of Proteasome α -Subunit PSMA7 in Hepatitis C Virus Internal Ribosome Entry Site-Mediated Translation;

/A.M./	Mol. Cell. Biol. Vol. 21 No. 24, p 8357-8364.
	Lohmann, V, Koerner, F, Koch, JO, Herian, U, Theilmann, L., Bartenschlager R; (1999). <i>Science</i> 285:110-113.
	Lightcap, ES; McCormack, TA; Pien, CS; Chau, V; Adams, J; Elliott, PJ (2000). Proteasome inhibition measurements: clinical application. <i>Clin. Chem.</i> 46:673-683.
	Lindenbach, BD, Rice, CM; (2001). Flaviviridae: the viruses and their replication. In: <i>Virology</i> , fourth edition edited by B.N. Fields, Lippincott-Raven Philadelphia, New York: 991-1042.
	Major, ME, Rehmann, B, Feinstone, SM; (2001). Hepatitis C viruses. In: <i>Virology</i> , fourth edition edited by B.N. Fields, Lippincott-Raven, Philadelphia, New York: 1127-1161.
	Meng, L; Kwok, BH; Sin, N; Crews, CM (1999a). Eponemycin exerts its antitumor effect through the inhibition of proteasome function. <i>Cancer Res.</i> 59:2798-2801.
	Meng, L; Mohan, R; Kwok, BH; Eloffson, M; Sin, N; Crews, CM (1999b). Epoxomicin, a potent and selective proteasome inhibitor, exhibits <i>in vivo</i> antiinflammatory activity. <i>Proc. Natl. Acad. Sci. USA.</i> 96 (18): 10403-10408.
	Merola, M, Brazzoli, M, Cochiarella, F, Heile, JM, Helenius, A, Weiner, AJ, Houghton, M, Abrignani, S; (2001). Folding of Hepatitis C Virus E1 glycoprotein in a cell-free system. <i>J. Virol.</i> 75:11205-11217.
	Meyers, G, Tautz, N, Becher, P, Thiel, H-J, Kuehmerer BM; (1996). Recovery of cytopathogenic and noncytopathogenic bovine viral diarrhea viruses from cDNA constructs. <i>J. Virol.</i> 70: 8606-8613.
	Moormann, RJM, van Gennip, HGP, Miedema, GKL, Hulst, MM, van Rijn PA; (1996). Infectious RNA transcribed from an engineered full-length cDNA template of the genome of a pestivirus. <i>J. Virol.</i> 70: 763-770.
	Moradpour, D; Grabscheid, B; Kammer, AR; Schmidtke, G; Groettrup, M; Blum, HE; Cerny, A (2001). Expression of hepatitis C virus proteins does not interfere with major histocompatibility complex class I processing and presentation <i>in vitro</i> . <i>Hepatology</i> 33:1282-1287.
	Palombella, VJ; Conner, EM; Fuseler, JW; Destree, A; Davis, JM; Laroux, FS; Wolf, RE; Huang, J; Brand, S; Elliott, PJ; Lazarus, D; McCormack, T; Parent, L; Stein, R; Adams, J; Grisham, MB; (1998). Role of the proteasome and NF-kappaB in streptococcal cell wall-induced polyarthritis. <i>Proc. Natl. Acad. Sci. USA</i> 95:15671-15676.
	Palombella, VJ; Rando, OJ; Goldberg, AL; Maniatis, T; (1994). The ubiquitin-proteasome pathway is required for processing the NF-kappa B1 precursor protein and the activation of NF kappa B. <i>Cell</i> 78:773-785.
	Pamer, E; Cresswell, P; (1998). Mechanisms of MHC class I-restricted antigen processing. <i>Annu. Rev. Immunol.</i> 16:323-358.
	Patnaik, A, Chau, V, Wills, JW; (2000). Ubiquitin is part of the retrovirus budding machinery. <i>Proc. Natl. Acad. Sci. USA</i> 97:13069-13074.
	Pietschmann, T, Lohmann, V, Kaul, A, Krieger, N, Rinck, G, Rutter, G, Strand, D, Bartenschlager, R; (2002) Persistent and transient replication of full-length hepatitis C virus genomes in cell culture. <i>J. Virol.</i> 76:4008-21.
	Phillips, JB; Williams, AJ; Adams, J; Elliott, PJ; Tortella, FC (2000). Proteasome inhibitor PS-519 reduces infarction and attenuates leukocyte infiltration in a rat model of focal cerebral ischemia. <i>Stroke</i> 31:1686-1693.
	Rehmann, B; Ferrari, C; Pasquinelli, C; Chisari, FV (1996). The hepatitis B virus persists for decades after patients' recovery from acute viral hepatitis despite active maintenance of a cytotoxic T-lymphocyte response. <i>Nat Med.</i> 2:1104-1108.
	Rock, KL; Gramm, C; Rothstein, L; Clark, K; Stein, R; Dick, L; Hwang, D; Goldberg, AL (1994). Inhibitors of the proteasome block the degradation of most cell proteins and the generation of peptides presented on MHC class I molecules. <i>Cell</i> 78:761-771.
	Rock, KL; Goldberg, AL (1999). Degradation of cell proteins and the generation of MHC class I-presented peptides. <i>Annu. Rev. Immunol.</i> 17:739-779.
	Ruemenapf, T., Unger, G, Strauss, JH, and Thiel, HJ; (1993). Processing of the envelope glycoproteins of pestiviruses. <i>J. Virol.</i> 67: 3288-3294.
	Schubert, U; Anton, LC; Gibbs, J; Norbury, CC; Yewdell, JW; Binnink, JR (2000b). Rapid degradation of a large fraction of newly synthesized proteins by proteasomes. <i>Nature</i> 404:770-774.
/A.M./	Schubert, U; Ott, DE; Chertova, EN; Welker, R; Tessmer, U; Princiotta, MF; Binnink, JR; Krausslich, H-

/A.M./	G; Yewdell, JW (2000a). Proteasome inhibition interferes with gag polyprotein processing, release, and maturation of HIV-1 and HIV-2. <i>Proc. Natl. Acad. Sci. USA</i> 97:13057-13062.
↓	Schwartz, AL; Ciechanover, A (1999). The ubiquitin-proteasome pathway and pathogenesis of human diseases. <i>Annu. Rev. Med.</i> 50:57-74.
↓	Strack, B; Calistri, A; Accola, MA; Palu, G; Goettlinger, HG (2000). A role for ubiquitin ligase recruitment in retrovirus release. <i>Proc. Natl. Acad. Sci. USA</i> 97:13063-13068.
↓	Suzuki, R; Tamura, K; Li, J; Ishii, K; Matsuura, Y; Miyamura, T; Suzuki, T (2001). Ubiquitin mediated degradation of hepatitis C virus core protein is regulated by processing at its carboxyl terminus. <i>Virology</i> 280:301-309.
↓	Teicher, BA; Ara, G; Herbst, R; Palombella, VJ; Adams, J (1999). The proteasome inhibitor PS-341 in cancer therapy. <i>Clin. Cancer Res.</i> 5:2638-2645.
/A.M./	Thiel, HJ, Plagemann, PGW, Moennig,V; (1996). Pestiviruses. In B.N. Fields, D.M.Knipe, and P.M. Howley (ed.), Fields virology. Raven Press, Philadelphia, Pa.: 1059-1074.
/A.M./	Frautwein, C; Manns, M (2001). Antivirale Therapie der chronischen Virushepatitis. <i>Internist</i> 42:913-923.
↓	Yagi, T; Hardin, JA; Valenzuela, YM; Miyoshi, H; Gores, GJ; Nyberg, SL (2001). Caspase inhibition reduces apoptotic death of cryopreserved porcine hepatocytes. <i>Hepatology</i> 33:1432-40.
↓	Yu, H, Grassmann, CW, Behrens SE; (1999). Sequence and structural elements at the 3' terminus of bovine viral diarrhea virus genomic RNA: functional role during RNA replication. <i>J. Virol.</i> 73: 3638-3648.
↓	Yu, H, Isken,O, Grassmann, CW, Behrens SE; (2000). A stem-loop motif formed by the immediate 5'-terminus of the bovine viral diarrhea virus genome modulates translation as well as replication of the viral RNA. <i>J. Virol.</i> 74: 5825-5835.
/A.M./	Zhao, X, Tang Z, Klumpp B, Wolff-Vorbeck, G, Barth H, Levy S, von Weizsaecker, F, Blum HE, Baumert TF; (2002). Primary hepatocytes of <i>Tupaia belangeri</i> as a potential model for hepatitis C virus infection <i>J. Clin. Invest.</i> 109: 221-232.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.